



2PC EXTENDED SHAFT DESIGN

FLANGED **BALL VALVE**





APPROVALS

























Mfg. & Mkt by:

aira Euro automation pyt. ltd.

Ahmedabad-382405, INDIA.

www.airaindia.com





We welcome and thank you for referring out detailed catalogue.

is know all over continents as a manufacturer of quality products - Ball Valves, Butterfly Valves, Plug Valves, & Control On / Off Valves with Pneumatic Actuators for Pharma, Oil & Gas, Steel, Paper, Water, Chemical and all type of processing industries.

has walked through more than 3 decades, gaining valuable experience, offering equipment's in the products manufactured by OEMs in all spheres of engineering.

aira products have gained reputations of consultants, and approvals of users, OEMs and other as a quality product.

has expanding business into foreign markets specially GCC, UAE, Asian & African countries. This is because increase its customer base and revenue, leading to overall growth and success. Now foreign users come to know and believe in the services provided by the aira. Along with the same, it also helps to reach a large number of users thereby leading to the increase their business.

Being and ISO 9001 BVQI certified company has put aira in fore front. Out motto is "Value the customer" and "Superior product", one among the best in the world.

Our Quality

- In- House full scale testing facility.
- Lean manufacturing practices
- Certified by: ISO 9001: 2015 (BVQI LONDON), CE, ATEX, CIMFR, BIS, PESO, SIL 3, IBR
- API 609, API 6D

Our Commitment

- To understand customer's need first before proposing our products.
- To keep on providing competitive rate's by adapting to continuous process improvement, without compromising on quality.
- To provide continuous support to our customers and go beyond their expectations in terms of delivery and after sale services.

Our Manufacturing Facility

■ In house R & D, manufacturing and testing facility is all located in a spread over three campuses at Ahmedabad, Gujarat, INDIA.

Network - Sales Office

- 60 Plus Branch Offices in different states in India.
- Sales office in the Bangladesh, Dubai, Kenya, Malaysia, Nepal, Qatar, Singapore, South Africa, Sri Lanka, Turkey, USA (Expanding).





















CERTIFICATIONS

SIL 3 CERTIFICATIONS



SIL 3 - PNEUMATIC ROTARY ACTUATORS



SIL 3 - BUTTERFLY VALVE

CE CERTIFICATE



CE - BUTTERFLY VALVE

ISO CERTIFICATIONS



ISO 14001 : 2015



ISO 45001 : 2018



ISO 45001 : 2018



ISO 9001 : 2015





























CERTIFICATIONS

APPROVALS



QMS (Quality Management) System)

ISO 9001: 2015

EMS

(Environment Management System)

ISO 14001: 2015

OHSAS (Occupational Health & Safety Management

ISO 45001: 2018

IBR

PISTON VALVE GLOBE CONTROL VALVE (CKD/CND) DISC CHECK VALVE (DCV) PRESSSURE REDUCING VALVE (PRV) POP TYPE SAFETY VALVE BALL VALVE


Pneumatic Actuator

CE / ATEX /



EXIDA SIL-3 / PROOF OF DESIGN Scotch & Yoke Actuator

CE / ATEX / SIL-3



Stainless Steel Actuator

CE / **IEP ATEX**

System)



Positioner Enclosure

CE / CIMFR / IP67 / BIS / PESO





SOME OF OUR

Plug Valve

FUGITIVE EMISSIONS

AS PER ISO 15848-1 / IBR



Flameproof Solenoid Valve

IEP ATEX / CE / CIMFR / IP65/ IP67 / IP68 / BIS / PESO

Limit Switch

IEP ATEX / CE / CIMFR / IP67 / BIS / PESO / **EODC IP68**

Ball Valve (Floating & Trunnion)

FIRE SAFE TEST DESIGN / **FUGITIVE EMISSIONS TEST** AS PER ISO 15848-1 / CE / PED / **EXIDA SIL-3**



Butterfly Valve (centric / Double & Triple Eccentric)

FIRE SAFE TEST DESIGN / **FUGITIVE EMISSIONS TEST** AS PER ISO 15848-1 / CE / PED / EXIDA SIL-3 / IBR / PROOF OF DESIGN / FOOD GRADE / BIS / ISI



Multiport Ball Valve

FUGITIVE EMISSIONS TEST AS PER ISO 15848-1 / CE / PED / EIL



























2PC TRX EXTENDED SHAFT EXPLODED BALL VALVE



OPERATING VARIANTS:









MATERIALS:

Item No.	Item Name	Material Name				
1	Body	CF8 / CF8M / WCB				
2	Connector	CF8 / CF8M / WCB				
3	Bonnet	CF8 / CF8M / WCB				
4	Ball	CF8 / CF8M				
5	Ball Seat	PTFE / CFT / GFT				
6	Body Seat	PTFE / CFT / GFT				
7	Stem Pin	s.s. 304 / s.s. 316				
8	Stem Seat	PTFE / CFT / GFT				
9	Bonnet Seat	PTFE				
10	Gland	CF8 / CF8M / WCB				
11	Spacer Ring	S.S. 304				
12	Gland Bolt & Nut	S.S. 304				
13	Du Bush	S.S. 304				
14	Fasteners	S.S. 304				



(02)



(12)

(08)

(08)







07





06













(10)

03

(13)

(11)

(09)

2PC FLANGE END EXTENDED SHAFT FLOATING BALL VALVE



"aira" Offers Manual & Automation Operated Extended Shaft 'cryogenic' Application Floating Ball Valve. Extended Shaft Ball Valve Designed For Using In The Several Conditions Such As Cryogenic Gas Systems, Nitrogen Injection, Oil Recovery, Air Separation Plants, Steel Plants, Heat Treatment.

SIZE RANGE 1/2" UPTO 8" FLANGED 1/2" TO 4" SCREWED

Standard

Design & Manufacturer
Valve Face To Face Dimension
Inspection And Testing
ASME B 16.34 / BS EN ISO 17292
ASME B 16.10 / BS EN ISO 17292
API 598 / ISO-5208 / BS EN 12266-1

Leakage Class : ISO 5208 Class VI / FCI - 70 - 2 / ASME B 16, 16. 104

(BUBBLE TIGHT SHUTOFF)

■ End Connection : ISO 7-1 FOR BSPT / BSP / ASME B 1.201 FOR NPT FOR S/E

ASME 16.11 FOR SOCKET WELD

Technical Specification

Pressure: 150#

■ **Temperature** : PTFE : upto 180°C

RPTFE / TFM - 220°C

Item	Type of Test	Testing Pressure	Working Pressure	Operating Temperature		
Actuator	Pneumatic Bubble Test	8 Kg/cm²	4 To 8 PSIG	-20°C TO 80°C		
Valve Body Flanged 150#	Hydraulic	32 Kg/cm²	22 Kg/cm²	Max.180°C		









Features

- Thrice Types Of Extension Bonnet Lengths Available To Optimize The Location Of The Gland Packing At Ambient Temperature Thus Preventing Freeze-damage By Low Temperature Fluid.
- Cavity Pressure Self Relief Construction In Valve.
- Chevron Seal Design Minimizes Leakage After Thousand Of Cycles.
- Low Operating Torque For Smooth Operations.
- Fire Safe Design Available For Flammable Applications.
- Fugitive Emissions Control For Flammable And Non-flammable Applications.





Screwed Dimensions :							
Valve Size	+3.0 -3.0 L1-150#	TAP					
15 MM	64	1/2"					
20 MM	70	3/4"					
25 MM	88	1"					
32 MM	105	1.1/4"					
40 MM	114	1.1/2"					
50 MM	130	2"					
65 MM	170	2.1/2"					
80 MM	200	3"					
100 MM	210	4"					

Valve Size		FLANGED 150#										
	+3.0 -3.0 L1-150#	+1.0 -0.0 PORT	+2.0 -1.0 ØD	+1.0 -1.0 Øg	+3.0 -0.0 b	+0.5 -0.5 f	Ø٦	N	+1.5 -1.5 K:PCD	+5.0 -5.0 H	+3.0 -3.0 H1	+10.0 -10.0 W
15 MM	108	13	90	34.9	8	2	15.88	4	60.3	164	127	180
20 MM	117	19	100	42.9	8.9	2	15.88	4	69.9	167	131	180
25 MM	127	25	110	50.8	9.6	2	15.88	4	79.4	182	140	195
32 MM	140	32	115	63.5	11.2	2	15.88	4	88.9	204	141	250
40 MM	165	38	125	73	12.7	2	15.88	4	98.4	206	161	250
50 MM	178	49	150	92.1	14.3	2	19.05	4	120.7	211	169	270
65 MM	190	62	180	104.8	15.9	2	19.05	4	139.7	245	187	305
80 MM	203	74	190	127	17.5	2	19.05	4	152.4	252	195	305
100 MM	229	100	230	157.2	22.3	2	19.05	8	190.5	283	216	355
ONLY AV	AILABLE FC	R 2PC :				·						
125 MM												
150 MM		ON REQUEST.										
200 MM												




















*All Dimensions Are In MM





time tested designs with superior performance


GLOBAL Network







industrial value automation







2PC EXTENDED SHAFT DESIGN

Ball Valve



Mfg. & Mkt by:

aira Euro automation pvt. ltd.

Ahmedabad-382405, INDIA.

www.airaindia.com





















