



V - KNOTCH DESIGN FLANGED **BALL VALVE**





APPROVALS



























Mfg. & Mkt by:

aira Euro automation pyt. ltd.

Ahmedabad-382405, INDIA.

www.airaindia.com





We welcome and thank you for referring out detailed catalogue.

is know all over continents as a manufacturer of quality products - Ball Valves, Butterfly Valves, Plug Valves, & Control On / Off Valves with Pneumatic Actuators for Pharma, Oil & Gas, Steel, Paper, Water, Chemical and all type of processing industries.

has walked through more than 3 decades, gaining valuable experience, offering equipment's in the products manufactured by OEMs in all spheres of engineering.

aira products have gained reputations of consultants, and approvals of users, OEMs and other as a quality product.

has expanding business into foreign markets specially GCC, UAE, Asian & African countries. This is because increase its customer base and revenue, leading to overall growth and success. Now foreign users come to know and believe in the services provided by the aira. Along with the same, it also helps to reach a large number of users thereby leading to the increase their business.

Being and ISO 9001 BVQI certified company has put aira in fore front. Out motto is "Value the customer" and "Superior product", one among the best in the world.

Our Quality

- In- House full scale testing facility.
- Lean manufacturing practices
- Certified by: ISO 9001: 2015 (BVQI LONDON), CE, ATEX, CIMFR, BIS, PESO, SIL 3, IBR
- API 609, API 6D

Our Commitment

- To understand customer's need first before proposing our products.
- To keep on providing competitive rate's by adapting to continuous process improvement, without compromising on quality.
- To provide continuous support to our customers and go beyond their expectations in terms of delivery and after sale services.

Our Manufacturing Facility

■ In house R & D, manufacturing and testing facility is all located in a spread over three campuses at Ahmedabad, Gujarat, INDIA.

Network - Sales Office

- 60 Plus Branch Offices in different states in India.
- Sales office in the Bangladesh, Dubai, Kenya, Malaysia, Nepal, Qatar, Singapore, South Africa, Sri Lanka, Turkey, USA (Expanding).





















CERTIFICATIONS

SIL 3 CERTIFICATIONS



SIL 3 - PNEUMATIC ROTARY ACTUATORS



SIL 3 - BUTTERFLY VALVE

CE CERTIFICATE



CE - BUTTERFLY VALVE

ISO CERTIFICATIONS



ISO 14001 : 2015



ISO 45001 : 2018



ISO 45001 : 2018



ISO 9001 : 2015





























CERTIFICATIONS

APPROVALS



QMS (Quality Management) System)

ISO 9001: 2015

EMS

(Environment Management System)

ISO 14001: 2015

OHSAS (Occupational Health

& Safety Management System)

ISO 45001: 2018

IBR

PISTON VALVE GLOBE CONTROL VALVE (CKD/CND) DISC CHECK VALVE (DCV) PRESSSURE REDUCING VALVE (PRV) POP TYPE SAFETY VALVE BALL VALVE


Pneumatic Actuator

CE / ATEX /



EXIDA SIL-3 / PROOF OF DESIGN Scotch & Yoke Actuator

CE / ATEX / SIL-3



Stainless Steel Actuator

CE / **IEP ATEX**



Positioner Enclosure

CE / CIMFR / IP67 / BIS / PESO





SOME OF OUR



Plug Valve

FUGITIVE EMISSIONS

AS PER ISO 15848-1 / IBR



Flameproof Solenoid Valve

IEP ATEX / CE / CIMFR / IP65/ IP67 / IP68 / BIS / PESO



Limit Switch

IEP ATEX / CE / CIMFR / IP67 / BIS / PESO / **EODC IP68**

Ball Valve (Floating & Trunnion)

FIRE SAFE TEST DESIGN / **FUGITIVE EMISSIONS TEST** AS PER ISO 15848-1 / CE / PED / **EXIDA SIL-3**



Butterfly Valve (centric / Double & Triple Eccentric)

FIRE SAFE TEST DESIGN / **FUGITIVE EMISSIONS TEST** AS PER ISO 15848-1 / CE / PED / EXIDA SIL-3 / IBR / PROOF OF DESIGN / FOOD GRADE / BIS / ISI



Multiport Ball Valve

FUGITIVE EMISSIONS TEST AS PER ISO 15848-1 / CE / PED / EIL



























V-KNOTCH **EXPLODED BALL VALVE**



OPERATING VARIANTS:











MATERIALS:


Item No.	Item Name	Material Name						
1	Body	CF8 / CF8M / WCB						
2	Ball	CF3M / CF8 / CF8M						
3	Seat	S.S. 304 / S.S. 316						
4	Gland	CF8 / CF8M						
5	Bottom Gland	S.S. 304 / S.S. 316						
6	Seat Guide	S.S. 304 / S.S. 316						
7	Top Shaft	S.S. 304 / S.S. 316						
8	Stem Seat	PTFE / CFT / GFT						
9	Top Shaft Seat	PTFE / CFT / GFT						
10	Spacer Ring	S.S. 304 / S.S. 316						
11	Bottom Shaft	S.S. 304 / S.S. 316						
12	Shaft Key	S.S. 304 / S.S. 316						
13	Top Du Bush	S.S. + PTFE						
14	Bottom Du Bush	S.S. + PTFE						







15	Bt. Shaft Seat	PTFE / CFT / GFT
16	Bt. Shaft Washer	PTFE / CFT / GFT
17	Seat O-ring	VITON
18	Gland O-ring	VITON
19	Seat Spring	s.s. 304 / s.s. 316
20	Gland Bolt+nut	S.S. 304
21	Body O-ring	VITON
22	Fasteners	S.S. 304











(05)













V-KNOTCH (SEGMENTED)

BALL VALVE



"aira" Offers Standard Round Ported Ball Valves Have Been Used, And Continue To Be Used, For Many Control Applications Such As Services Involving Moderate Pressure Drops. Now, With The Development Of Aira V Balls Characterized, A Full Range Of Control Applications Is Available With Superior Flow Control. These Quarter Tone Control Ball Valves Are More Compact, Lighter Weight And Much Less Expensive Than Comparably Sized Globe Valves And Segmented Control Valves Offered By Other Companies. Aira Control Valves Offer Fast Response Times To Control Signals Due To Advanced Digital Control Of Actuation And The Inherent Strenghts Of Ball Valves. These Valves Exceed Class VI Offering Bubble Tight Shut Off With Zero Leakage. Other Features Include Superior Quality, High Flow Capacity, the Ability To Function With Fluids Containing Solids And Fibers And Ease Of Maintenance.

SIZE RANGE

Standard

Design & Manufacturer: : BS EN ISO 17292 / B 16.34

■ Valve Face To Face Dimension : ASNI B 16.10 / IEC DIN 534-3-2

■ Flange Standard Conformity : ASA B 16.5 150# / BS EN 10 Table D,E,F

(Customer Specified)


■ Inspection & Testing : ASME FCI 70-2 Metal Seat For Uni-Direction Flow

Features

- Soft Seat Valves Exceed Class VI Offering Bubble Tight Shut Off With Zero Leakage.
- Precise Contouring Of The V-Notch Balls Provides A Nearly Equal Percentage Characteristic.
- Replaceable Ball Seal & Backup Ring For Added Rigidity.
- Ball Machined To A Super Smooth Finish, Hard Chrome Plated And Polished To Increase Ball Seal Life.
- High CV To Body Size Ratio.

*Handle Type Up To 4"


Testing Pressure Valve Body Hydraulic 22 16 Seat Hydraulic 10 05 Seal Pneumatic 07 --



Technical Specification

Pressure: 150# - Upto 10 Kg/cm² & Metal Seat upto 5kg Only

■ Temperature : PTFE: Upto 180°C / RTPFE-220



Valve Size	+3.0 -3.0 L-150#	+1.0 -0.0 PORT	+1.0 -0.0 PORT 1	+2.0 -1.0 ØD	+1.0 -1.0 Øg	+3.0 -0.0 b	+0.5 -0.5 f	Ø٦	N	+1.5 -1.5 K:PCD	+5.0 -5.0 H	+3.0 -3.0 H1	+10.0 -10.0 W
25 MM	102	38	20	110	51	11	2	15.88	4	79.4	138	101	210
40 MM	114	50	32	125	73	14	2	15.88	4	98.4	167	120	276
50 MM	124	62	40	150	92	15	2	19.05	4	120.7	177	131	276
65 MM	145	78	55	180	105	16	2	19.05	4	139.7	197	145	310
80 MM	165	93	65	190	127	18	2	19.05	4	152.4	206	152	321
100 MM	194	115	84	230	157	22	2	19.05	8	190.5	210	157	311
125 MM	194	134	100	255	186	22	2	22.23	8	215.9	240	186	321
150 MM	229	164	125	280	216	24	2	22.23	8	241.3	251	192	386
200 MM	243	206	155	345	270	27	2	22.23	8	298.5	318	250	683
250 MM	297	255	194	405	324	29	2	25.4	12	362	381	310	683
300 MM	337	315	248	485	381	31	2	25.4	12	431.8	423	353	683
350 MM						OI	N REQUE	ST.					
100 MM	762	381	303.07	595	469.9	35	2	28.58	16	539.8		407	

1" UPTO 16" FLANGED 150#


























time tested designs with superior performance


GLOBAL Network







industrial value automation







V - KNOTCH DESIGN





Mfg. & Mkt by:

aira Euro automation pvt. ltd.

Ahmedabad-382405, INDIA.

www.airaindia.com

